

Standard packaging



Bottles and containers 4

Post-Consumer-Recycling 22

Overview business divisions Kautex Industrial Products 38

Intended use of products — materials at Kautex 40

Usage instruction for bottles, jerrycans and closures 42

Data sheet for thermoplastics in general 44





Product	Volume ml	Series	Material	Colour	Page
BOTTLES - ROUND					
Narrow neck bottle	10-5,000	301	LDPE	natural colour	4
Wide neck bottle	50-2.000	303	LDPE	natural colour	5
Wide neck bottle	100-1,000	303	PP	natural colour	6
Wide neck wash bottle	250/500	303	LDPE	natural colour	7
Wide neck bottle	50-1,000	303	LDPE	brown	8
Medium neck bottle	100-1,000	307	HDPE	natural colour	9
High shoulder bottle	50-1,000	302	LDPE	natural colour	10
Round bottle	50-1.000	308	HDPE	natural colour	11
Round bottle "Variopack Dual"	250-1,000	321	COEX	white	12
Dropping bottle	10-50	302	HDPE	natural colour	13
BOTTLES - SQUARE					
Narrow neck bottle	100-2,500	310	HDPE	white/natural colour	14
Narrow neck bottle "SafeGrip"	50-500	310	HDPE	natural colour	15
UN-Narrow neck bottle	500-2,500	308/310	HDPE	natural colour/black	16
Narrow neck bottle "SafeGrip"	2,500	310	HDPE	natural colour/black	17
Closures for narrow neck bottle		308/310	HDPE/PP	black/red	17
UN-Wide neck bottle	50-4,000	310	HDPE	white/natural colour	18
Narrow neck bottle "ClearGrip"	100-1,000	310	PP	highly transparent	20
Narrow neck bottle	250-1,000	310	PVC	transparent	21
Narrow neck bottle	100-1,000	310	HDPE	natural colour	24
Wide neck bottle	250-1,000	310	HDPE	natural colour	25
JARS AND CONTAINER					
Round wide neck container	50-2,000	310	PVC	transparent/brown	26
Closures for wide neck container					27
Round wide neck container	50-2,000	310	PETG	transparent	27
Round wide neck container	100-500	310	PVC	transparent/brown	28
Wide neck jar	100-2,000	376	HDPE	natural colour	29
Round wide neck container	2,300/4,400	311	HDPE	natural colour	30
Mulitpurpose container	5,000/10,000	357	HDPE	natural colour	31
CARBOYS AND OPENTOP DRUMS					
Carboy	5,000-60,000	350	HDPE	natural colour	32
Bucket	10,000/15,000	610/615	LDPE	black/white	33
UN open top drums	30,000-120,000	359	HDPE	blue	34
JERRYCANS					
Industrial jerrycan	2,000-30,000	353	HDPE	natural colour	35
Industrial jerrycan	20,000-30,000	353	HDPE	blue	36
Closures for industrial jerrycans		353	HDPE	white/red/black	37

Narrow neck bottle series 301 LDPE

Flexible
Squeezable
Good shape-retaining properties
Leakproof

The packaging concept of Kautex for narrow, medium and wide neck laboratory bottles consists of consumer-optimized order units.

Closures and bottles are packed together as one unit and can be ordered in an uncomplicated manner with one article number. This results in the following advantages for both dealers and endusers.

- One article number for bottle and closure
- Better and clearer handling of the ordered goods
- Dust-free and undamaged packaging
- Easier and quicker to commission bottles and closures
- The end-user receives original packed merchandise

Packaging concept:

up to 100 ml: Closures are packed in a polybag

which is included in the bottles


polybag.

from 200 ml: Bottles are stretched in foil,

corresponding number of closures in a separate polybag in the

box.

from 2,000 ml: Bottles packed loosely in the box with screwed-on closures.







Three types of closures for different applications.

More Ideal for liquids.

Handy shape.

"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.





A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity

Closures for narrow neck bottle series 301 and series 302 LDPE

for bottle nom. cap. ml	C mm	Order no.	Order no.	3 Order no.	4 Order no.
10/20/30	14	2000072102	2000073350	-	2000090603
50	18	2000072101	2000073350	-	2000090604
100	18	2000072101	2000073350	2000095991	2000090604
200	18	2000072101	2000073350	2000095991	2000090604
250	25	2000072100	2000073350	2000090618	2000090605
500	25	2000072100	2000073350	2000095993	2000090605
1,000	28	2000072103	2000073350	2000090619	2000090606
2,000	28	2000072103	2000073350	2000095994	2000090606
3,000	32	-	-	-	2000090607

Packed in PE bag of 100 pcs.

Wide neck bottle series 303 LDPE

Wide neck Easy to fill Easy to clean

Round | Natural colour | With closure



Our product video

Nominal	Α	В	С	D	Mould	No. of	No. of	Order no.
capacity ml	mm	mm	mm	mm	no.	pcs.per case*	pcs. per packg.**	
50	39	23.8	32	76	303-50	650	50	2000770528
100	48	23.8	32	93.5	303-100	480	20	2000770529
200	59	30.8	40	114	303-200	300	10	2000770530
250	64	30.8	40	120	303-250	260	10	2000770531
300	67.5	30.8	40	128	303-300	180	10	2000770532
500	77	39.2	50	154	303-500	130	10	2000770533
750	88	39.2	50	173	303-750	90	5	2000770534
1,000	95	50	65	205	303-1000	56	4	2000770535
1,500	108	50	65	226	303-1500	40	4	2000770536
2,000	120	50	65	247	303-2000	33	-	2000770537

 $A = Diameter\ body/B = Neck\ i.d./C = Cap\ size\ o.d./D = Height\ without\ closure$ $*Packaging\ unit/minimum\ ordering\ quantity\ **Subpackaging\ = quantity\ packed\ in\ extra\ foil\ (for\ further\ information\ on\ subpackaging\ see\ page\ 4)$

	_ ,	,
For bottle nominal capacity ml	C mm	Order no.
50 100	32	2000090607
200 250 300	40	2000090608
500 750	50	2000090609
1,000 1,500 2,000	65	2000090610

Packed in PE bag of 100 pcs.



Suitable for food.



Ideal for liquids, pastes and granulates.



Halal certified.



Wide neck bottle series 303 PP

Autoclavable up to 121°C Hot filled products Pastes Granulates Leakproof



Nomin capaci ml		B mm	C mm	D mm	Mould no.	No. of pcs. per case*		Order no.
100	48.5	24.3	32	94	303-100	480	20	2000783856
250	64.5	30.9	40	121	303-250	260	10	2000783859
500	77.5	39.9	50	155	303-500	130	10	2000783852
1,000	96	50.8	65	205	303-1000	56	4	2000783855

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity **Subpackaging = quantity packed in extra foil (for further information on subpackaging see page 4)

Screw closure PP (substitute)							
For bottle	С	Order no.					
nominal	mm						
capacity							
ml							
100	32	2000093789					
250	40	2000093792					
500	50	2000093791					
1.000	65	2000093790					

Packed in PE bag of 100 pcs.







"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

Note: Before autoclaving screw off the closure and place it upside down on the bottle.



Wide neck wash bottle series 303 LDPE

Printed-on hazard symbols Abrasion-resistant printing Sliding delivery tube

> Substances of content in German, English, French

> > Our product video

Order no.

2000093937 2000093935

2000094068

2000093936 2000093938





DEST. WASSER DIST. WATER EAU DISTILLEE ETHANOL Gefahr / Dang

Gettahr / Danne										
Nominal capacity ml	A mm	Bmm Cmm Dmm Mould No. of pcs. per case*		No. of pcs. per packg.**	Order no.					
ACETONE, ACETONE, with included wash bottle closure LDPE, cap red										
500	77	39.2	50	154	303-500	100	10	2000770025		
ETHANOL, wi	th inclu	ded wa	sh bott	le closi	ure LDPE, c	ap green				
500	77	39.2	50	154	303-500	100	10	2000770021		
ISOPROPANO	L, 2-PF	ROPAN	OL, with	ninclud	ed wash bo	ttle closur	e LDPE, cap	yellow		
500	77	39.2	50	154	303-500	100	10	2000770022		
METHANOL, v	METHANOL, with included wash bottle closure LDPE, cap orange									
500	77	39.2	50	154	303-500	100	10	2000770023		
DISTILLEDW	ATER, E	AU DE	STILLE	, with ir	cluded was	sh bottle cl	osure LDPI	E, cap blue		

Wash bottle closure Pcs./

bag'

10

10

10

10

10 **Subpackaging = quantity packed in

Farbe

Green

Yellow

Orange

Blue

Red

extra foil

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure

154

154

UNPRINTED - please order your choice of wash bottle closure separately

50

50

*Packaging unit/minimum ordering quantity

39.2

77

500

303-500

303-500

100

100

10

10

2000770024

2000770024



Suitable for the declared liquid, please contact us for further information on food suitability. Completely emptied by sliding delivery tube, even when inverted.



Safety:

If the delivery tube is raised above the liquid surface then temperature variations will not cause liquid to escape. Tip with safety tubing.

 (\checkmark) Halal certified.



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

Printed-on hazard symbols and substances of content, with memo field

^{**}Subpackaging = quantity packed in extra foil (for further information on subpackaging see page 4)

Wide neck bottle series 303 LDPE

For light sensitive materials Protection against UV-light-transmission Wide neck easy to fill Leakproof

8/04-2025

Round | Brown colour | With closure



Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No.of pcs.per case*	No. of pcs. per packg.**	Order no.
50	39	23.8	32	76	303-50	650	50	2000784583
100	48	23.8	32	93,5	303-100	480	20	2000784584
250	64	30.8	40	120	303-250	260	10	2000784585
500	77	39.2	50	154	303-500	130	10	2000784586
1,000	95	50	65	205	303- 1000	56	4	2000784587

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity **Subpackaging = quantity packed in extra foil (for further information on subpackaging see page 4)

Screw closure LDPE, brown (substitute)

For bottle nominal capacity ml	C mm	Order no.
50 100	32	2000794579
250	40	2000094578
500	50	2000794577
1,000	65	2000794576

Packed in PE bag of 100 pcs.



Suitable for food.



Halal certified.



ooo Ideal for high-viscosity media, powders, granulates and pactor granulates and pastes.



Leakproof.



The wide neck opening means that the bottles are easy to fill and clean.



Medium neck bottle series 307 HDPE

Embossed contents scale
Easy to fill
Easy to clean
Leakproof



Nominal capacity	A mm	B mm	C mm	D mm	Mould no.	No. of	No. of	Order no.
ml	111111	111111	111111	111111	110.	pcs.per case*	pcs. per packg.**	
100	46	19	25	99.5	307-100	480	20	2000770066
250	61	24	28	129.5	307-250	250	10	2000770067
500	77	30.8	40	161	307-500	140	10	2000770070
1,000	97	39.2	50	203	307- 1000	64	4	2000770073

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity **Subpackaging = quantity packed in extra foil (for further information on subpackaging see page 4)

Screw closure PP, natural colour (substitute)

•		
For bottle nominal capacity ml	C mm	Order no.
100	25	2000794398
250	28	2000794542
500	40	2000093792
1,000	50	2000093791

Packed in PE bag of 100 pcs.

Please contact us for further information on food suitability.



Halal certified.



Multi-purpose bottles for laboratories



PP screw closure.







High shoulder bottle series 302 LDPE

High narrow shape Easy handling Leakproof



Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	No. of pcs. per packg.**	Order no.
50	36.5	12.9	18	82	302-50	900	150	2000070512
100	44.5	12.9	18	98.5	302-100	420	70	2000070513
500	75.5	19	25	160	302-500	124	-	2000070515
1,000	95	21.5	28	196	302-1000	72	-	2000070517

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure

*Packaging unit/minimum ordering quantity **Subpackaging = quantity packed in extra foil (for further information on subpackaging see page 4)

Nominal capacity ml	C mm	Order no.	2 Order no.	3 Order no.	4 Order no.
50	18	2000072101	2000073350	-	2000090604
100	18	2000072101	2000073350	2000095991	2000090604
500	25	2000072100	2000073350	2000095993	2000090605
1,000	28	2000072103	2000073350	2000090619	2000090606

Packed in PE bag of 100 pcs.

Suitable for food.

Halal certified.

Three types of closures for different applications.

处 Ideal for liquids.

🄰 Handy shape.




Round bottle series 308 HDPE

Stable and handy shape Hinged lid closure For single-handed use



Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	No. of pcs. per packg.**	Order no.
50	32	17	22	86	308-239	900	150	2000076399
100	41	17	22	108.5	308-142	792	-	2000073084
250	56	17	22	135.5	308-143	324	-	2000073085
500	70	19.4	25	173	308-144	148	-	2000073086
1,000	89	19.4	25	211.5	308-145	72	-	2000073087

Hinged lid closure PP, white								
For bottle nominal capacity ml	C mm	Order no.						
50 100 250	22	2000073182						
500 1,000	25	2000073089						



Halal certified. ldeal for cosmetic products, e.g. emulsions, shampoos,

 $lac{1}{\sqrt{2}}$ shower gels, creams and as a refill packaging.

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity **Subpackaging = quantity packed in extra cardboard box

Round bottle series 321 "Variopack" dual CoEx

Special packaging Barrier layer Leakproof



Guide regarding packaging produced using the co-extrusion blow molding process



Not suitable for food.


Halal certified.



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

High-quality packaging with barrier layer of polyamide for highly volatile or intense smelling media with high permeation rates.





A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity

Closure HDPE, white, with EPE PA wad and tamper evident ring

For bottle nominalcapacity ml	C mm	No. of pcs. per case*	Order no.
250 to 1,000	50	800	2000086734



Dropping bottle series 302 HDPE

Dropping tip closure Separate screw closure Resealable



Nominal	Α	В	С	D	Mould	No. of	No. of	Order no.
capacity ml	mm	mm	mm	mm	no.	pcs. per case*	pcs. per packg.**	
10	24	12.7	18	50	302-21A	4,000	100	2000099529
25	31.3	12.7	18	64.5	302-16E	2,000	100	2000092676
50	40	12.7	18	77	302-12D	900	100	2000081015

Combination closure LDPE/PP, with screw-on dropping tip

For bottle nominal capacity ml	C mm	Order no.	No. of pcs. per case
10/25/50	18	2000083700	3,000

 $A = Diameter\ body/B = Neck\ i.d./C = Cap\ size\ o.d./D = Height\ without\ closure \\ *Packaging\ unit/minimum\ ordering\ quantity\ **Subpackaging\ =\ quantity\ packed\ in\ extra\ foil$



Not suitable for food.



Halal certified.



🔎 Stable and handy shape.



Suitable for adhesives and many other products.






Narrow neck bottle series 310 HDPE

Square cross-section Recessed labelling field



Square | Natural colour | White





Halal certified.

Five different types of closures available.

处 Ideal for liquids.



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	Order no. natural colour	Order no. white
100	45 x 45	17	32	108	310-53 A	544	2000083970	2000084000
250	60 x 60	17	32	136	310-54 A	247	2000083971	2000083994
500	74×74	17	32	170	310-55 A	122	2000083972	2000083991
1,000	85 x 85	17	32	221	310-56 A	72	2000083973	2000083992
2,500	122 x 122	28	45	272	310-57 E	27	2000071149	2000082553

A = Diameter body/B = Neck i.d./C = Cap size o.d./D = Height without closure*Packaging unit/minimum ordering quantity

Screw closures PP

For bottle nominal capacity ml	C mm	Order no.	Order no.	3* Order no.	4* Order no.	Order no.
100 to 1,000	32	2000084006	2000083951	2000084200	2000084201	2000085590
2,500	45	-	2000076305	-	-	-

^{*}The closures of the push-turn system are not certified according to ISO 8317:2015 and are therefore not approved for such applications.





Nominal	Α	В	С	D		No. of pcs.	
capacity ml	mm	mm	mm	mm	no.	per case*	natural colour
1111							
50	40×40	18.6	32	79	310-143	850	2000085937
100	46 x 46	18.6	32	108	310-144	450	2000085938
250	60 x 60	18.6	32	136	310-145	234	2000085939
500	75 x 75	18.6	32	169	310-146	150	2000085940

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity

Screw closure PP, blue, with PTFE liner and tamper evident ring


For bottle	С	Order no.
nominal capacity	mm	
ml		
50 to 500	32	2000085941



Narrow neck bottle "SafeGrip" series 310 HDPE

Square shape Safe and comfortable handling Leakproof









The neck of this bottle series has been adapted to the standard glass closure GL 32.











UN Narrow neck bottle series 308/310 HDPE, natural colour and black

Nominal capacity ml	A mm	B mm	C mm	D mm	Weight g	Mould no.	No. of pcs. per case*	UN approval	Order no. natural colour	Order no. black
500	77 x 77	28.7	45	176,5	52	308-257	120	UN 1H1/X1.9/250	2000084464	2000770096
1,000	96 x 96	28.7	45	211,8	88	310-135	64	UN 3H1/X1.9/250	2000084152	2000770097
2,500	127 x 127	28.7	45	282	167	310-136	26	UN 3H1/X1.9/250	2000084153	2000084486

 $A = Diameter\ body/B = Neck\ i.d./C = Cap\ size\ o.d./D = Height\ without\ closure\ *Packaging\ unit/minimum\ ordering\ quantity$



The bottles are suitable for food, please contact us for further information on food suitability of the closures.



Halal certified.



Narrow neck bottles with UN approval for liquids.



Recessed labelling field with bottle sizes 1,000 and 2,500 ml.



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.



Guide regarding UN packaging

Bottle includes a dust cap to avoid contamination before filling.

Dispose of dust cap prior to capping.





Nominal С Weight Mould В D No. of **UN** approval Order no. Order no. mm mm mm mm pcs.per natural black capacity no. g colour case' ml UN 3H1/X1.9/250 2000085405 2000085681 2,500 127 x 127 28.7 45 294 190 310-137 25

 $A = Diameter\ body\ /\ B = Neck\ i.d.\ /\ C = Cap\ size\ o.d.\ /\ D = Height\ without\ closure\ *Packaging\ unit/minimum\ ordering\ quantity$

Optimized handle for safe and comfortable handling.

Due to the increased size of the handle this new product guarantees stability and security in handling dangerous media with a high specific weight.

Narrow neck bottle series 310 "SafeGrip" HDPE, natural colour and black

Closures for UN narrow neck bottle series 308/310 HDPE & UN narrow neck bottle series 310 "SafeGrip"

For bottle nominal capacity ml	C mm	Order no.	Order no.	Order no.
500 to 2,500	45	2000984183	2000084162	2000084182
No. of pcs. per case		450	350	350

The bottles are suitable for food, please contact us for further information on food suitability of the closures.



Un-wide neck bottle series 310 HDPE

Square cross-section Recessed labelling field

Three different types of closures available

Leakproof

Our product video

Square | Natural colour | White

With UN approval for solids*. The approvals are only valid with the closures offered here.

UN approved for solids

Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	UN approval	Order no. natural colour	Order no. white
50	36 x 36	21.4	28	88.5	310-115	700	-	2000076398	2000084193
100	45 x 45	24	32	101	310-88	612	UN 3H1/X0.3/S	2000073094	2000079206
250	59 x 59	35	45	129.5	310-86	273	UN 3H1/X0.8/S	2000073095	2000079207
350	60 x 60	35	45	164	310-46	190	-	2000071138	-
500	75 x 75	42.5	54	162	310-89	124	UN 3H1/X1.5/S	2000073096	2000079209
750	83 x 83	42.5	54	188	310-48	90	UN 3H1/X2.5/S	2000071140	2000079210
1,000	85 x 85	42.5	54	214	310-85	81	UN 3H1/X2.5/S	2000073097	2000079211
1,500	108 x 108	68.5	80	209	310-93	42	UN 3H1/X4/S	2000073624	2000079212
2,500	122 x 122	68.5	80	260	310-51	27	UN 3H1/X5/S	2000071143	2000079213
4,000	142 x 142	68.5	80	294	310-52	15	UN 3H1/X5.5/S	2000071144	2000079214

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity





otobal es for white heek bottles of the											
For bottle nominal capacity ml	C mm	Order no.	Packaging Unit	Order no.	Packaging Unit	3 Order no.	Packaging Unit	Order no.			
50	28	-	-	2000976304	2,000	2000084198	2,000	-			
100	32	2000971152	3,000	2000073826	-	2000083761	1,800				
250/350	45	2000971153	1,200	2000076306	800	2000083783	800	2000005102			
500/750/1,000	54	2000971898	700	2000073199	550	2000083691	550	2000085102			
1,500/2,500/4,000	80	2000971155	300	2000073775	210	2000083762	210				

Suitable for food.

(V) Halal certified.

The wide neck opening means that the bottles are easy to fill and clean.

ldeal for liquids, pastes, granulates and powders.



Narrow neck bottle series 310 "ClearGrip" PP

Low weight Stiffness Impact resistance Easily recyclable Leakproof



Suitable for food.



Halal certified.



Low carbon footprint, easily recyclable.



Good transparency and glaze (ideal for product presentations).



Low weight, outstanding chemical stability, balanced stiffness and impact resistance.



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.



Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	Order no.
100	46 x 46	18.6	32	108	310 148	512	2000086456
250	60 x 60	18.6	32	136	310 149	247	2000086457
500	75×75	28.6	45	169	310 150	132	2000086458
1,000	94 x 94	28.6	45	204	310 151	64	2000086459

 $A = Diameter\ body/B = Neck\ i.d./C = Cap\ size\ o.d./D = Height\ without\ closure \\ *Packaging\ unit/minimum\ ordering\ quantity$

Screw closure PP, white for 32 mm thread and HDPE black for 45 mm thread; with PTFE-insert and tamper evident ring

For bottle nominal capacity ml	C mm	No. of pcs. per case	Order no.
100 to 250	32	1,200	2000086336
500 to 1,000	45	450	2000984183



Narrow neck bottle series 310 PVC

Crystal clear Secure grip Leakproof

Rectangular | Transparent



Nominal	Α	В	С	D	Mould	No. of	Order no.
capacity	mm	mm	mm	mm	no	pcs.per	
ml						case*	
250	59 x 38	19.9	25	151.5	310-63	390	2000071490
500	70 x 50	19.9	25	189	310-19	194	2000071106
1,000	87.5 x 61	19.9	25	233	310-20	106	2000071107

 $A = Diameter\ body/B = Neck\ i.d./C = Cap\ size\ o.d./D = Height\ without\ closure \\ *Packaging\ unit/minimum\ ordering\ quantity$

Closures

For bottle nominal capacity ml	C mm	Order no.	Order no.		
250 to 1,000	25	2000971704	2000074185		
No. of pcs. per case		2,300	2,400		

- 1 Compression moulded closure, melamine, white, with PE-foam insert
- 2 Screw closure PP, with nozzle, white



Suitable for food.



Halal certified.



Crystal clear presentation of your product.



Ribbed sides for secure grip.







Post-Consumer-Recycling_

The German Packaging Act (VerpackG), the Plastic strategy of the EU, the PPWR in the Green Deal and the plastic tax are all initiatives and guidelines with a focus on promoting the circular economy. The aim is both to increase the recycling rate and the recyclate use. We also want to make our contribution and help contribute to the promotion of the circular economy.

What drives us?



Environment protection

The circular economy enables a more efficient use of raw materials. This leads to a reduction of $\rm CO_2$ -emissions and to a reduced usage of mineral oil.



Scarcity of resources

Since our resources are limited, and demand continues to rise due to a growing world population the circular economy offers a significant contribution to the reduction of plastic waste.

We give plastic packaging a second life.





Your benefits!



Strong external impact

A sustainably produced packaging offers a great potential for effective sustainable marketing.



Cost reduction

By using PCR material, disposal costs are reduced and the plastic tax can be avoided.

Our Experience!



Test facility

with retrieval system, presses, transport and manufacturing.



Quality standards


Quality assurance through extended inspection plans.



Continous contact

with recyclate manufacturers for maximum product quality.

You are interested in one of our standard PCR products? Our sales team will be happy to answer your questions.



≥ sales.ip@kautex.com







Sustainable packaging solution at the same high quality:

For our customer Kiehl we manufacture the 5 l jerry can from 100 % PCR-HDPE material in serial production.

Narrow neck bottle series 310 HDPE

High stability Recessed labelling field Four different types of closures Leakproof



Suitable for food.



Halal certified.



Ribbed sides for secure grip.



Four different types of closures (can also be used with wash bottle closure, see page 4).



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.



Dropper cap LDPE, natural colour, with nozzle



	Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	No. of pcs. per packg.**	Order no.	
	100	40.5 x 32	12.9	18	110.5	310-100	648	108	2000070520	
	250	53.5 x 42.5	19	25	148	310-250	381	-	2000070521	
	500	63.5 x 54.5	19	25	180	310-500	205	-	2000070522	
	1,000	84×66	19	25	222.5	310-1000	108	-	2000070523	

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity **Subpackaging = quantity packed in extra cardboard box

Closures

For bottle nominal capacity ml	C mm	Order no.	Order no.	3 Order no.
100	18	2000090604	2000072101	2000073350
250 to 1,000	25	2000090605	2000072100	2000073350



Rectangular | Natural colour



-	Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	Order no.
	250	59 x 59	30.8	40	110.5	310W- 250	294	2000070538
	500	69 × 69	30.8	40	145.5	310W- 500	164	2000070539
	1,000	86.5 x 86.5	39.2	50	178.5	310W- 1000	90	2000070540

A = Diameter body/B = Neck i.d./C = Cap size o.d./D = Height without closure*Packaging unit/minimum ordering quantity

Screw closure LDPE, natural colour

For bottle nominal capacity ml	C mm	Order no.
250/500	40	2000090608
1,000	50	2000090609

Packed in PE bag of 100 pcs.



Wide neck bottle series 310 HDPE

Easy filling Secure grip Rectangular labelling field Leakproof



Suitable for food.



Halal certified.



The wide neck means easy filling, emptying and cleaning.



Ribbed sides for secure grip.



Wide neck container series 310 PVC

Wide neck opening Easy to fill Easy to clean Leakproof





Square | Transparent | Brown-transparent





Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	No. of pcs. per packg.**	Order no. transparent	Order no. brown- transparent
50	38.5 x 38.5	23	32	59	310-26	972	162	2000070595	2000070697
100	46×46	31	40	71	310-27	480	80	2000070596	2000070698
200	59.5 x 59.5	41	50	87	310-28	406	-	2000070597	2000070699
300	67.5 x 67.5	41	50	94	310-42	300	-	2000071080	2000071081
500	80.5 x 80.5	54	65	108	310-31	162	-	2000070598	2000070700
750	91.5 x 91.5	69	80	120	310-43	114	-	2000071082	2000071083
1,000	97 × 97	69	80	143	310-32	96	-	2000070599	2000070701
2,000	122 x 122	69	80	187	310-94A	44	-	2000073352	2000073353

 $A = Diameter\ body/B = Neck\ i.d./C = Cap\ size\ o.d./D = Height\ without\ closure \\ *Packaging\ unit/minimum\ ordering\ quantity\ **Subpackaging\ =\ quantity\ packed\ in\ extra\ cardboard\ box$



Suitable for food.



Halal certified.



Due to the wide neck opening the containers are easy to fill and to clean.



Black closure with PE-foam insert, leakproof.



 $Brown\,transparent, suitable\,for\,light-sensitive\,media.$





Excellent transparency | Leakproof



Nominal	Α	В	С	D	Mould	No. of	No. of	Order no.
capacity ml	mm	mm	mm	mm	no.	pcs. per case*	per packg.** pcs.	
50	38.5 x 38.5	23	32	60.5	310-26	972	162	2000074371
100	46 x 46	31	40	71	310-27	480	80	2000074372
200	59.5 x 59.5	41	50	88	310-28	406	-	2000074373
500	80.5 x 80.5	54	65	108	310-31	162	-	2000074374
1,000	97 x 97	69	80	143	310-32	96	-	2000074375
2,000	122 x 122	69	80	187	310-94A	44	-	2000084404

A = Diameter body/B = Neck i.d./C = Cap size o.d./D = Height without closure

*Packaging unit/minimum ordering quantity

**Subpackaging = quantity packed in extra cardboard box

Screw closure PP, black, with PE-foam wad

Nominal capacity ml	C mm	Order no.
50	32	2000070750
100	40	2000070751
200/300	50	2000070752

Packed in PE bag of 100 pcs.

Screw closure PP. black, with PE-foam wad

Nominal capacity ml	C mm	Order no.
500	65	2000070753
750/1,000	80	2000070754
2,000	80	2000070755

Packed in PE bag of 100 pcs.

Wide neck container series 310 PETG

Wide neck opening Easy to fill Easy to clean Leakproof



Suitable for food.



Halal certified.



Crystal-clearfor an excellent product presentation.



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

This container is also suitable as a sales or gift packaging.

Closures for wide neck container series 310 PVC and PETG



Wide neck container series 310 PVC

Wide neck opening Easy to fill and to clean Leakproof



Square | Transparent | Brown-transparent



Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.			Order no. transparent	Order no. brown-transparent
100	46 x 46	31	40	83.5	310-27B	480	80	2000084419	2000084593
200	59.5 x 59.5	41	50	98.5	310-28B	288	48	2000084412	2000084596
300	67.5 × 67.5	41	50	105.5	310-42B	288	-	2000084423	2000084601
500	80.5 x 80.5	54	65	118.5	310-31B	126	21	2000084422	2000084599

 $A = Diameter\ body/B = Neck\ i.d./C = Cap\ size\ o.d./D = Height\ without\ closure \\ *Packaging\ unit/minimum\ ordering\ quantity\ **Subpackaging\ =\ quantity\ packed\ in\ extra\ cardboard\ box$



Suitable for food.



Halal certified.



Brown transparent, suitable for light-sensitive media.



Due to the wide neck opening the containers are easy to fill and to clean.




With tamper evident closure, PP, black colour, leakproof.



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

The content is safe against unauthorized removal. Opening the closure leaves distinct traces.



Nominal capacity	С	Order no.
ml	mm	
100	40	2000084479
200/300	50	2000084480
500	65	2000084481

Packed in PE bag of 100 pcs.



Wide neck jar series 376 HDPE

Wide neck opening Easy to fill and to clean Leakproof

Round | Natural colour



Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	Order no.
100	48	31	40	77	376-34	700	2000071492
250	65	41	50	98	376-18	298	2000070541
500	80	53	65	122	376-12	162	2000070542
750	94	53	65	130	376-19	108	2000070543
1,000	100	67	80	153	376-13	75	2000070544
1,500	114	67	80	173	376-20	48	2000070545
2,000	126	67	80	192	376-25	40	2000071066

Screw closure PP, black, with PE-foam wad

Nominal capacity ml	C mm	Order no.
100	40	2000070751
250	50	2000070752
500/750	65	2000070753
1,000/1,500/2,000	80	2000070754

Packed in PE bag of 100 pcs.

A = Diameter body/B = Neck i.d./C = Cap size o.d./D = Height without closure*Packaging unit/minimum ordering quantity



Suitable for food.



Halal certified.



Due to the wide neck opening the containers are easy to fill and to clean.



ooo Particularly suitable for storage. transport or disposal of powdery or granulated materials.



Black closure with PE-foam wad, leakproof.





Wide neck container series 311 HDPE

Space-saving Moulded hand-grip Convenient handling Square | Natural colour | With moulded hand-grip

With screwed-on closure



Wide neck container series 311 HDPE, square, natural colour

Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs.	Order no.
1110						case*	
2,300	135 x 135	68.5	80	188	311-13	36	2000083981

Wide neck container series 311 HDPE, square, natural colour, with screw closure

Nominal capacity ml	A mm	B mm	C mm	D mm	Mould no.	No. of pcs. per case*	Order no.
4,400	142 x 142	109	120	263	311-03	52	2000098311

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure * Packaging unit/minimum ordering quantity

Screw closure PP, blue, with tamper evident ring and conical seal

For bottle nominal capacity ml	C mm	No. of pcs. per case	Order no.
2,300	80	210	2000073775

Suitable for food.

(V) Halal certified.

The square shape saves space.

With moulded hand-grip for safe and convenient handling.

ooo Ideal for collecting, storing and transporting oo solid chemicals.


Nominal capacity 4,400 ml not leakproof.



Multipurpose container series 357 HDPE

Polygonal | Natural colour | With screwed-on closure

Wide neck opening Easy to fill Easy to clean



120

303

357-10

6

2000070547

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure * Packaging unit/minimum ordering quantity

108.5

230 x 222



10,000

Halal certified.

The wide neck opening means easy filling, emptying and cleaning.

Particularly suitable for storage, transport or disposal of powdery or granulated materials.

Not leakproof.





Litre scale Optional stopcock connection



Suitable for food.



Halal certified.



Printed litre scale.




"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

With and without threaded stopcock connection.

Stopcock, media-contacting parts PP, PE & PTFE, blue



Seplacement closure, HDPE. natural colour (not illustrated)



Nominal capacity litre	A mm	B mm	D mm	Mould no.	No. of pcs. per case*		Order no.		
Without stopcock connection									
5	167	50	330	350-5	11	2	000084131		
10	206	50	427	350-10	6	20	000084133		
25	278	50	580	350-25	5	21	000084135		
60	346	50	823	350-60	2	21	000084136		
With stopcock connection									
5	167	50	330	350-5Z	11	2	000084137		
10	206	50	427	350- 10Z	6	21	000084132		
25	278	50	580	350- 25Z	5	20	000084138		
60	346	50	823	350- 60Z	2	21	000084139		
Accessoriesfo	or carbo	ys							
Order no.	2 Order	no.	Or	3 der no.	4 Order n	n	5 Order no.		

2000076459 2000083794 2000083793 2000070625 2000073196



Bucket series 610/615 LDPE

Rustproof handle Thick-walled Sturdy



Capacity litre	Diameter mm		Height mm	Mould no.	No. of pcs. per case*	Order no.					
Nominal capacity	Base Top		without handle								
With spout, white, with plastic-coated steel carrying handle											
10	193	280	300	610-10	10	2000070588					
15	235	316	335	610-15	10	2000070589					
Without spout, white,	with plastic-co	ated steel carryi	ng handle								
10	212	253	279	615-10	10	2000070585					
Without spout, dark g											
10	212	253	279	615-10B	10	2000070587					

^{*}Packaging unit/minimum ordering quantity



Suitable for food.



(V) Halal certified.

Industrial and laboratory buckets:

With and without spout.

Plastic coated steel handle.

Would you like them to be individually printed? Just contact us!



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

Builder's bucket, dark grey:

With rustproof handle.

All buckets are thick-walled and very stable for a long working life and with graduated litre scale on the inside.



With lid | With clamping ring

Lid UN approval Clamping ring



UN approval for solids

Nominal capacity litre	A mm	B mm	Height with closure	No.per case pcs.	UN approval	Order no.
30	313	251	518	1	UN 1H2/X61/S	2000090800
60	398	325	620	1	UN 1H2/X88/S	2000090867
120	469	395	790	1	UN 1H2/X225/S	2000091093

A = Diameter body / B = Neck i.d



Suitable for food.



Halal certified.



All sizes with UN approval for solids.



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

Meet the GGVS/GGVE (rail/road/sea) regulations for the transport of solid substances with a density of at least 1.5 g/ccm.

 $Supplied\ complete\ with\ PE-lid\ and\ galvanized\ clamping\ ring.$

30 and 60 l with handles.





Industrial jerrycan series 353 HDPE

Our product video

Natural colour

Varied use
Leakproof

UN approval

Varied use
Leakproof

Nominal capacity l	A mm	B mm	C mm	D mm	Weight g	Pcs. PE-bag*	Pcs./ pallet	UN approval	Order no.		
Industrial je	Industrial jerrycan series 353 HDPE, natural colour										
2	145 x 109	34.5	45	196	110	25	300	-	2000095939		
2.5	153 x 115	34.5	45	208	125	25	300	UN 3H1/Y1.6/150	2000095966		
3	153 x 115	34.5	45	240	140	25	250	UN 3H1/Y1.6/150	2000096404		
5	190 x 145	40.5	50	251	250	16	160	UN 3H1/X1.9/250	2000092562		
6	192 x 145	34.5	45	294	265	16	288	-	2000095937		
8	230 x 190	34.5	45	270	320	10	200	-	2000080289		
10	230 x 190	40.5	50	310	450	10	80	UN 3H1/X1.9/250	2000095642		
20	290 x 246	48.5	60	385	950	6	36	UN 3H1/X1.9/250	2000096138		
30	320 x 284	48.5	60	435	1,250	6	36	UN 3H1/X1.9/250	2000095981		

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity



The jerrycans are suitable for food, please contact us for further information on food suitability of the closures.



Halal certified.



Jerrycans 2.5 to 5 and 10 to 30 l with UN approval.




 $\label{thm:continuous} Universal\ jerry can for industry, trade\ and\ laboratories.$



"Recycling symbol" in accordance with Directive 97/129/EC and 94/62/EC.

The jerrycans with a comprehensive range of closures accessories can be used for almost any purpose.





Industrial jerrycan series 353 HDPE blue



Nominal capacity l	A mm	B mm	C mm	D mm	Weight g	Pcs./ PE bag*	Pcs./ pallet	UN approval	Order no.		
Industrial j	Industrial jerrycan series 353 HDPE, blue colour										
20	290 x 246	48.5	60	385	950	6	36	UN 3H1/X1.9/250	2000096232		
25	290 x 246	48.5	60	450	1,100	6	36	UN 3H1/X1.9/250	2000086794		
30	320 x 284	48.5	60	435	1,250	6	36	UN 3H1/X1.9/250	2000095982		

A = Diameter body / B = Neck i.d. / C = Cap size o.d. / D = Height without closure *Packaging unit/minimum ordering quantity

 $The jerry cans are suitable for food. \\ Please contact us for further information on food suitability of the closures. \\$

Halal certified.





For jerrycan nominal capacity litre	Order no.	Order no.	(3) Order no.	4 Order no.	Order no.	G Order no.
2/2.5/3	2000086365	2000085874	2000085870	2000095872	2000096921	2000090464
5	2000095912	2000095946	2000095901	2000090386	2000090568	2000090465
6/8	2000086365	2000085874	2000085870	2000095872	2000096921	2000090464
10	2000095912	2000095946	2000095901	2000090386	2000090568	2000090465
20	2000095898	2000095987	2000095984	2000090480	2000083884	2000090465
25	2000095898	2000095987	2000095984	2000090480	2000083885	2000090465
30	2000095898	2000095987	2000095984	2000090480	2000083886	2000090465



Halal certified.



Know how and competence_ for successful products

KAUTEX Textron has been specialised in manufacturing extrusion-blown plastic containers for more than eight decades.

Goal-directed with uncompromising standards for quality and customer focus, we have made our products to belong to the most successful on the international market.

We are meeting the challenges of tomorrow by resolutely leveraging the capacity for innovation and technological leadership in plastics processing of our international group.

Standard packaging

- Successful products for laboratories, chemical industries and pharmacy
- Many versions, sizes, materials, accessories
- For special applications also possible with barriers (coex, fluorination)
- Available from stock
- Many models available with UN approval

Special Packaging

- Bottles and jerrycans made of PE, PP, PVC and PETG; for special applications also available with barriers (coex)
- The customer determines the design and pays for the mould;
 - the products are supplied only to this customer
- UN approval available
- Rapid Prototyping concept

Jerrycans

- Jerrycans: 21/2.51/31/51/61/81/101/121/151/201/251/301
- Available from stock
- UN approval available

AgroPack® Product Range

- Jerrycans for crop protection agents: 5 l/10 l
- Bottles for crop protection agents: 250 ml/500 ml/1,000 ml
- Available with and without barrier (coex)
- UN approval available





Intended use of products_

materials at kautex

The bottles and containers in this catalogue are, if not labeled otherwise, suitable for foods and satisfy the European requirements of Regulation (EC) No. 1935/2004 and Regulation (EU) No. 10/20111. The bottles and containers can therefore be used within the European Economic Area as food packaging. We would be glad to provide the corresponding declarations of conformity upon request and recommended closures which are safe for contact with foods and would be suitable for your applications. Our products are produced with GMP standards Regulation (EC) No. 2023/2006 (of 22 December 2006) on good manufacturing practice for materials and articles intended to come into contact with food as amended in mind.

The bottles and containers in this catalogue satisfy the European legal requirements for packages for cosmetic goods according to Regulation (EC) No. 1223/20091. They are therefore permissible for use within the European Economic Area as packaging for cosmetic products. The conditions for use and notices regarding safe use found in the respective declarations of conformity and product data sheets must be observed.

Our UN packagings satisfy the legal requirements of the GGVSEB and the European agreements ADR. ADN and RID for the carriage of dangerous goods by road, rail and inland waterways. The UN dangerous materials packagings satisfy the requirements of European chemical law for packages for hazardous substances and mixtures according to Regulation (EC) No. 1272/2008.

They are therefore permissible for use within the European Economic Area as packaging for hazardous substances and mixtures. The provision and notices regarding the proper use of the packaging according to the UN permits of the Federal Institute for Materials Research and Testing (BAM) must be observed.

Our products can frequently also be used or adapted for purposes other than those cited. We possess our own productions facilities in which packages of pharmaceutical and medical products can be produced in accordance with GMP standards for pharmaceutical products and medical devices pursuant to Directive 2003/94/EC and Directive 93/42/EEC.

If you have a use in mind for pharmaceutical and medical purposes or a use that deviates from the above, please contact us so that we can find a solution tailored to your needs. The same holds true for uses outside of the European Economic Area and for UN dangerous goods packages that fall outside of the territorial scope of the European agreements ADR, ADN, and RID. Without consulting with us, any uses that deviate from the proper uses listed above lie in the responsibility of the user.

Registration

As we are manufacturing products according to the REACh regulation, we are not directly affected by the registration. However our suppliers are subject to this obligation and we are working closely with them.

Substances of Very High Concern - SVHC

The currently applicable SVHC list (candidate list) defines substances for which there is a registration obligation to customers and downstream users. According to article 33 of the REACh regulation, the manufacturing company shall "supply to the consumer all information available to him concerning the safe use of the product, and shall at least supply the name of the relevant substance".

Substances of REACh Appendix XIV and XVII

Based on the substances defined in the candidate list, the EU discusses which of these substances require authorization. In cooperation with our suppliers, we are launching appropriate activities in case that our products contain substances listed in Appendix XIV so that they have to be replaced.

Restrictions are listed in Appendix XVII

The restrictions are very specific and often combined with limit values. Again, Kautex is in close contact with our suppliers in order to ensure compliance with the material restrictions. You will find more detailed information related to REACh at http://echa.europa.eu/

Without UN permits, our products may be used for packaging for hazardous substances and mixtures according to Regulation (EC) No. 1272/2008 only if the user can guarantee that the requirements according to Article 35 of this regulation are observed. This check must be performed by the user on his or her own responsibility. In particular, the user must make sure the respective content does not damage the materials of packages and closures or react with these materials to form dangerous compounds.

Compliance with RoHS regulations

Packaging produces by Kautex complies with the Restriction of Hazardous Substances EU-Guideline 2011/65 incl. EU 2015/863 of the European Parliament and Council of June 8th, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

The aim of the RoHS EU-Guideline 2011/65 is the protection of human health and environment. The substances mentioned in the Guidelines include lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls, and polybrominated diphenyl ethers.

Polyolefins (PE): LDPE, HDPE, PP

- Physiologically inert
- Flexible and inherently stable
- Good chemical resistance
- Shatter-proof
- PP is autoclavable

Polypropylen (PP)

- Rigid and inherently stable
- Very good chemical resistance
- Features a very good resistance against tension cracking
- In thin layers almost transparent, thicker layers are translucent up to opaque white

Low-density Polyethylene (LDPE)

- Flexible, tough and shatter-proof
- In thin layers almost transparent, thicker layers are translucent up to opaque white
- Resistant to water, aqueous solutions

High-density Polyethylene (HDPE)

- Rigid and shatter-proof
- Slightly transparent in thin layers, in thicker layers weakly translucent to opaque white
- Resistant to water, aqueous solutions and most chemicals
- Excellent water vapour resistance

Polyvinyle chloride (PVC hard)

- Physialogically inert
- Crystal-clear or transparent brown
- Good chemical resistance
- Extremely rigid, high breaking resistance
- High transparency
- Resistant to water, aqueous solutions, alcohols and oils
- Slight gas permeability, e.g. to oxygen
- Adequate water vapour resistance in most cases

Co-Polyester (PETG) (Polyethylene Terephthalat Glycole)

- Pysiologically inert
- Flexible and inherently stable
- High transparency (glass-clear), optically brilliant
- Shatter-proof
- Resistant to water, aqueous solutions, salts,
- Aliphatic mediums, hydrocarbons and oils.





Usage instructionfor bottles, jerrycans and closures

1. General information

This usage instruction contains important information in connection with German law governing product safety in order to ensure the safety and protect the health of users. It must be ensured that this information is brought to the attention of the users (Directive EU 2023/988 on General Product Safety).

In the case of UN dangerous goods packaging, all stipulations and notes on the respective UN approval relating to proper use of packaging are to be respected and communicated to any and all parties using this packaging for dangerous goods. Only the respective closures licensed in the respective approval may be used. UN approvals can be viewed at the homepage of the Bundesanstalt für Materialforschung und -prüfung https://app.tes.bam.de/php/d-bam/index.php?id=zulassung

2. Storage

The recommended storage temperature for bottles/jerry cans should be between +5 °C and +40 °C. Higher temperatures may cause deformity of the bottles/jerry cans. The bottles/jerry cans must not be exposed to direct sunlight in order to avoid the containers' mechanical properties being negatively affected.

3. Use/filling

The unused bottles/jerry cans should only be used up to 5 years after the production date. Please make sure that the packaging and in particular the sealing zones are not damaged/negatively affected when emptying and filling the containers. Avoid any and all mechanical or thermal damage to the bottles/jerry cans. Please use the degassing closures for gaseous goods. We recommend to use specific knifes/cutter with a "safe blade" to open the stretch film to avoid any damage to the product.

If the bottles and canisters we manufacture are used as transport packaging for dangerous goods, we strongly recommend that the closures used are screwed on using a torque wrench. We can provide torque recommendations upon request.

4. Filling hot substances

Do not stack the bottles/jerry cans while they are still warm. The bottles/jerry cans may only be closed after having cooled down, or only with a degassing closure in order to ensure pressure equalization.

The bottles/jerry cans should be able to cool off quickly. If they maintain higher temperatures ($60-80\,^{\circ}$ C) for a lengthy period, it could cause permanent deformation of the jerry cans. The bottles/jerry cans must be filled in an upright position on a level surface. Floors or areas with openings or unsuitable pallets (light pallets) should be avoided. Ensure the packaging container is securely positioned and fill the filling product into the filler opening provided for this purpose at atmospheric pressure. If the filling temperature should ever exceed 40 °C, consult the supplier of the packaging container beforehand. To prevent vacuum deformation when cooling down, measures must be taken to ensure sufficient ventilation of the packaging container to compensate for the vacuum. Stacking should also be avoided until the packaging container has completely cooled down.

Packaging containers for the transport of dangerous goods must be properly closed both after filling and before handing over for carriage.

5. Chemical stability

Our products without UN approval may only be used as packaging for dangerous substances and mixtures in accordance with Regulation (EC) no. 1272/2008 if the user ensures that the requirements set out in Article 35 of this Regulation have been adhered to. This inspection is to be conducted by the user under his own responsibility. In particular, it is to be inspected whether the respective content does not damage the material constituting the packaging and fastenings or can react with these to form hazardous compounds. You will find information on the chemical stability of basic materials that are used in our catalogue. Please follow the link: https://www.kautex.de/de/verpackung/katalog-referenzen

The filling product is then allocated (and hence evidence of chemical compatibility provided) either using the assimilation method described under ADR 4.1.1.21 or via allocation according to a laboratory method test.

6. Recycling containers

Special application conditions apply to packaging made from recycled material and recycling material contend. The warranty for recycling containers is limited to 24 months. The user is responsible for determining the compatibility and durability of the containers in conjunction with the contents using stacking tests and storage tests. A recommendation from Kautex is to carry out these tests for 4 months at 40 °C in a heating cabinet. Furthermore, the information from points 2–5 must also be observed for containers made of recycled material.

Due to the manufacturing and sorting process of the recycled raw material, color differences and spots in the products cannot be ruled out.

7. Emptying

As packaging containers do not usually have a bottom outlet, they can only be emptied via the filler opening. This can be done independently or by using suitable pumps or suction devices. When the content is poured out independently, there is a tendency for the packaging container to "gurgle" (content surge) so the container must be emptied with appropriate caution. If the packaging container is mounted on a surface when the content is emptied out, the surface should be such that it does not damage the packaging container. If larger packaging containers are also emptied in this way, appropriate levers and turning devices are to be used.

When emptying using a drum pump or suction device, ensure that the packaging container is standing on a level surface free of foreign bodies. The container must be secured to prevent it from tipping over. The extraction lances should be suitable for the size of the container and the diameter of the filler

opening so that these do not damage the packaging container. The emptying of the container should never be carried out under pressure. It should also be ensured that no vacuum forms in the packaging container during emptying.

8. Re-use

Packaging containers are basically designed for one-off use, or they can be reused depending on the design and the preceding use. The prerequisite is that before refilling and handing over for conveyance, the container is inspected to ensure it is free from corrosion, contamination or other damage.


In any event, it should be ensured that the packaging container meets the same standards for re-use as it did before the initial filling. Every packaging container that shows signs of reduced strength must no longer be used. (ADR sub-article 4.1.1.9) The responsibility for inspection and re-use lies with the user.

9. Information

Further information are listed in the brochure of "Industrievereinigung Kunststoffverpackungen e.V." (also in english): http://www.kunststoffverpackungen.de/technische_broschueren_5079.html

10. Recyclingcode


According to 97/129/EG and 94/62/EG



Data sheet for thermoplastics_

in general

			High density Polyethylene HDPE	Polypropyle- ne PP	PVC rigid	Co-Polyester PETG	Polyamide	Polycarbonate
Physical	natural colour	transparent	translucent white	transparent	crystal clear	crystal clear	up to 0.5 mm wall thickness crystal clear	crystal clear
properties of thermo- plastics	state at 20 °C	flexible	flexible/rigid	flexible/rigid	brittle/ impact resistant	brittle/ impact resistant	flexible/tough vulnerable to folding	glasklar
	specific weight at 20°C	approx.0.92	approx. 0.95	approx. 0.905	approx.1.38	approx.1.25	approx. 1.12	approx.1.2
	shore hardness 20°C	approx. 40	approx. 50	approx. 65	approx.80	approx.65	approx.50	approx. 80
	tear strength at 20 °C	approx. 10 N/mm²	approx. 20N/mm²	approx. 30 N/mm²	approx. 50 N/mm²	approx. 50 N/mm²	approx. 45 N/mm²	approx. 60 N/mm²
	elongation at 20 °C	approx. 500 %	approx. 500 %	approx. 650 %	approx.30%	approx. 15 %	approx. 200 %	approx. 100%
	water absorption	Traces	Traces	Traces	Traces	Traces	high	Traces
	diffusion	Hydro- carbons	Hydro- carbons	Hydro- carbons	Hydro- carbons	Hydro- carbons	water, Hydro- carbons	water, Hydro- carbons
			This inforn	nation only pro	vides a genera	l indication.		
Chemical properties of	resistant against	organic sol chlorinated h it is advisable storage test	ydrocarbons;	see LDPE/ HPDE	acids, alkalis, petrol, oil, fats, turpentine, alcohol	petrol, oils, fats, turpentine	petrol, benzene, chlorinated hydrocar- bons, oils, fats	weak acids
thermo plastics	not resistant against	oxidising acids, oils, fats, chlorinated hydro- carbons	oxidising acids, chlorinated hydro- carbons	oxidising acids, oils, fats, chlorinated hydro- carbons	esters, ketone, ben- zene, chlo- rinated hyd- rocarbons, hydrogene sulphide	esters, ketone, benzene, chlorinated hydro- carbons	acids, alkalis, alcohol, water	alkalis, strong acids, esterbenzene, chlorinated hydro- carbons
				nation only pro	vides a genera	l indication.		
	containersize	0.001 to 1.000 l	0.001 to 3.000 l	0.01 to 120 l	0.01 to 5 l	0.01to1l	0.01 to 60 l	0.01to 30 l
Applications	type of contents	cosmetic preparations, foodstuffs and chemicals	see LDPE, aromatic hydro- carbons, oils, fats	cosmetic preparations, foodstuffs and chemi- cals	petrol, oils, fats, shoe cream, cosmetic preparations, foodstuffs	cosmetic preparations, foodstuffs	petrol, oils, fats, stain remover (tri, tetra)	cosmetic preparations, foodstuffs
	trans- formation of contents	none caused by the mate possibly due to diffu			-	-	drying out without becoming moist due to diffusion of water	none caused by material itself, possibly due to diffusion
	printing- options	Screen printing	Screen printing	Screen printing	Screen printing	Screen printing	Screen printing	Screen printing
	engraving suitability	good	good	very good	vulnerable to cracking	vulnerable to cracking	vulnerable to cracking	vulnerable to cracking around sharp edges
	operational temperature	-40°C to 95°C	-40°C to 110°C	0 °C to 130 °C	-30°C to 70°C	0°C to 65°C	0°C to 80°C	-40 °C to 115 °C





Kautex Textron GmbH & Co. KG Alter Heerweg 2a D - 53123 Bonn

****+49 (0)228 9868-100

≤ sales.ip@kautex.com

Kautex Textron GmbH & Co. KG Mauermattenstraße 9 D - 79183 Waldkirch

****+49 (0)76812009-0

≥ sales.ip@kautex.com

